

L Number	Hits	Search Text	DB	Time stamp
1	156	"tailored blank"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:04
2	141	"tailored blank"	USPAT; EPO; JPO; DERWENT	2002/09/11 11:18
3	81	(nitriding nitrided) same automobile	USPAT; EPO; JPO; DERWENT	2002/09/11 11:18
4	58	((nitriding nitrided) same automobile) same steel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:19
5	8	((nitriding nitrided) same automobile) same steel same body	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:20
6	0	((nitriding nitrided) same automobile) same steel) and foam	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:20
7	2	((nitriding nitrided) same automobile) same steel) and resin	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:20
8	5950	428/\$.ccls. and ((resin foam) same steel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:25
9	21	(428/\$.ccls. and ((resin foam) same steel)) and (nitriding nitrided)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:26
10	875	428/\$.ccls. and (foam same steel)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:27
11	3	(428/\$.ccls. and (foam same steel)) and (nitriding nitrided)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:29
12	9979	(foam same steel) not (428/\$.ccls. and ((resin foam) same steel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:29
13	12	((foam same steel) not (428/\$.ccls. and ((resin foam) same steel))) and (nitriding nitrided)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:29
14	2938	(foamed same steel) not (428/\$.ccls. and ((resin foam) same steel))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:29
15	4	((foamed same steel) not (428/\$.ccls. and ((resin foam) same steel))) and (nitriding nitrided)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:30
16	45	164/\$.ccls. and (steel same (nitrided nitriding))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:53
17	0	(164/\$.ccls. and (steel same (nitrided nitriding))) and pressur4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:34

18	31	(164/\$.ccls. and (steel same (nitrided nitriding))) and pressur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:34
19	149	164/12.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:36
20	2	164/12.ccls. and nitrid\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:36
21	373	steel same (nitrided nitriding) same pressur\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:38
22	34	(steel same (nitrided nitriding) same pressur\$4) and mold	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:38
23	96	(steel same (nitrided nitriding)) and (pressur\$4 same mold)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:48
25	133	164/319.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:50
27	1	(164/319.ccls. and steel) and nitrid\$	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:51
26	14	164/319.ccls. and steel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:51
28	12235	164/\$.ccls. and steel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:53
29	124	(164/\$.ccls. and steel) and (nitriding nitrided)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:53
-	3	("3887362").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/11 11:03
-	16	148/\$.ccls. and hv and nitrid\$3 and tensile adj strength and steel and working and plastic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 11:10
-	16	148/\$.ccls. and hv and nitrid\$3 and tensile adj strength and steel and working and plastic\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/03 17:10
-	7	148/\$.ccls. and hrc and nitrid\$3 and tensile adj strength and steel and working and plastic\$4 not (148/\$.ccls. and hv and nitrid\$3 and tensile adj strength and steel and working and plastic\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/03 17:12
-	9	4046601.URPN.	USPAT	2002/09/03 17:27
-	7	4046601.URPN. and nitrid\$3	USPAT	2002/09/03 17:27
-	1	(US-4464207-\$).did.	USPAT	2002/09/06 11:36
-	5	4464207.URPN.	USPAT	2002/09/06 11:37

-	1580	c23c008/26.ipc. c23c008/50.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/06 11:43
-	12	(c23c008/26.ipc. c23c008/50.ipc.) and ben\$1 and nitrid\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/08 09:32
-	72	148/212.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/08 09:29
-	9	148/212.ccls. and ben\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/06 12:09
-	7	148/212.ccls. and (bend bent bending)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/06 12:08
-	3	(148/212.ccls. and ben\$4) not (148/212.ccls. and (bend bent bending))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/06 12:09
-	5	148/212.ccls. and (deform deformed deforming)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/08 09:29
-	1263	(c23c008/26.ipc. c23c008/50.ipc.) and nitrid\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/08 09:32
-	37	((c23c008/26.ipc. c23c008/50.ipc.) and nitrid\$3) and tensile	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/08 09:32
-	32	((c23c008/26.ipc. c23c008/50.ipc.) and nitrid\$3) and tensile	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/08 09:32
-	12	"4047981"	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 11:00
-	8	4047981.URPN.	USPAT	2002/09/10 11:02
-	3	("3615904"   "3632456"   "3928088").PN.	USPAT	2002/09/10 11:04
-	2185	148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S")	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 11:12
-	695	(148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 11:13
-	470	((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 13:25
-	58	((((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)) and (hrc hrb hv)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 13:26
-	2	4046601.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:12
-	9	4046601.URPN.	USPAT	2002/09/10 14:13

-	29001	c21d008/\$2.ipc.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:21
-	1199	c21d008/\$2.ipc. and nitrid\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:22
-	306	(c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:50
-	288	((c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts)) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)) and (hrc hrb hv))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:23
-	182	((c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts)) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)) and (hrc hrb hv))) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:23
-	177	((c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts)) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)) and (hrc hrb hv))) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5))) and steel	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:23
-	11	((c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts)) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)) and (hrc hrb hv))) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5))) and steel) and (hrc rockwell hrb hv)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:29
-	27	((c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts)) and (hrc rockwell hrb hv) not (((c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts)) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5)) and (hrc hrb hv))) not (((148/\$.ccls. and nitrid\$3 and ((tensile adj strength) "T.S" "UTS" "TS" "U.T.S") ) and (steel.ab. steel.clm.)) and (cold or plastic\$4) same (roll\$3 work\$3 reduc\$4 deform\$5))) and steel) and (hrc rockwell hrb hv))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:29
-	0	(c21d008/\$2.ipc. and nitrid\$3) and ("T.S." "U.T.S") not ((c21d008/\$2.ipc. and nitrid\$3) and (tensile ts uts))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:52
-	220	148/226.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:53
-	64	148/226.ccls. and nitriding	USPAT; US-PGPUB; EPO; JPO; DERWENT	2002/09/10 14:53